

msi

GAMING CASE

MAG GUNGNIR 300 SERIES

Review Guide

MSI | August 2023



THE LEAP TO
SINGULARITY

For Reviewers

Dear Editor,

The MSI CND Gaming Case team is excited to share our latest product, the MPG GUNGNIR 300 Series with you. We appreciate the valuable feedback you provided to us during the development phase, and welcome further input so that we can continue pushing the envelope.

- **Product Overview:** The MPG GUNGNIR 300R AIRFLOW is a new mid-tower ATX case, tailored to the compatibility needs of mid-level system configurations for gamers. Its front panel is made of a one-piece mesh design, supporting dual 360mm AIO liquid cooler or up to 12 fans, providing exceptional cooling performance. The case's patented structure design includes a sliding HDD cage mount, a horizontal/vertical push latches PCIe bracket design, and an omnidirectional graphics card holder with tool-free installation that can rotate 90 degrees to accommodate NVIDIA® GeForce RTX™ 40 series graphics cards. Gamers can adjust and select their preferred support position based on the graphics card's size, shape, and outlet position.
- **Launch Date:**
Sep. 21, 2023 at 15:00 TPE time / 09:00 CEST / 00:00 PDT
- **Product page** (active on launch date) : [LINK](#)
- **Product photo and manual for reference:** [LINK](#)

We encourage you to read through this guide prior to testing. The content in the following slides highlights key points for reviewers. If you encounter problems during the test process or have questions regarding results, please contact your local MSI technical PR team.



Sincerely,

The MSI CND Gaming Case Team



Media Sample Unboxing


Inside the box




Accessories (300R)

Item	Name / Q'ty	Used for
	Cable ties x10	Cable management
	L-shaped Screwdriver x1	Securing vertical graphics card & bracket
	Screw M3 5mm x35	Motherboard / SSD / PCIe riser cable
	Screw #6-32 6mm x4	Securing PSU
	Screw #6-32 6mm x4	Securing HDD
	Screw #6-32 7.5mm x8	Securing liquid cooling radiator
	Screw #6-32 30mm x12	Securing liquid cooling radiator fan
	Stand-off #6-32 6.5mm x2	PCIe riser cable stand
	Stand-off Mounting Tool x 1	Securing motherboard / PCIe riser cable
	Vertical graphics card bracket x1	Securing vertical graphics card
	80mm/120mm fan mounting kit x1 [Bracket x1, Screw Ø5 8mm x4, Screw Ø9.5 14.5mm x2]	Securing 80mm/120mm fan


GUNGNIR 300P AIRFLOW extra review:
The airflow channel on the back of a vertically
mounted graphics card



6015 Black Fan x 2
Pre-installed for
300P extra review



8025 Black Fan x 1
Pre-installed for
300P extra review



PCI-E 4.0 X 16 RISER
CABLE: 180mm x 1
Provide for 300P
extra review

Media Sample Unboxing


GPU Holder User Manual

Comes with a QR code sticker, users can easily scan QR code then check how to use the unique GPU holder from the user manual easily




Media Sample Unboxing

Please remove EPE materials firstly before media sample review



EPE Material



EPE Material



Agenda

–300 Series Overview

[P.06~P.10](#)

–Design Highlight

- ✓ Optimized Airflow
- ✓ Support Vertical & Horizontal GPU Installation
- ✓ Easy to assemble
- ✓ Front I/O & Drive Bays

[P.11~P.17](#)

[P.18~P.21](#)

[P.22~P.26](#)

[P.27](#)

–Comparison & Specifications

[P.28](#)

–FAQs

[P.29~P.34](#)

THE LEAP TO SINGULARITY

MPG GUNGNIR 300 Series Overview

Main Feature

- ✓ Optimized airflow & cooling support
- ✓ Support both vertical & horizontal 40 series GPU installation (longer, thicker and heavier)
- ✓ User-friendly design for easy to assemble & clean



MPG GUNGNIR 300 Series Overview



MPG GUNGNIR 300 Series Overview

msi

MSRP: \$169




**MPG GUNGNIR 300R
AIRFLOW
-ARGB addict**

MSRP: \$179




**MPG GUNGNIR 300R
AIRFLOW White
-WHITE lovers**

MSRP: \$169



**MPG GUNGNIR 300P
AIRFLOW
-Enthusiast airflow lovers**


MPG GUNGNIR 300 Series Overview

	300R AIRFLOW 	300R AIRFLOW WHITE 	300P AIRFLOW 
Target	ARGB Addict	White Lovers	Enthusiast airflow lovers (GPU Vertical Build)
Front I/O	USB 3.0 Type-A x2, USB 3.1 Type-C x 1, LED Control Bottom		USB 3.0 Type-A x2, USB 3.1 Type-C x 1
Pre-installed	✓ Front: 120mm ARGB Fan x 3 ✓ Rear: 120mm ARGB Fan x 1	✓ Front: 120mm ARGB Fan x 3 (White) ✓ Rear: 120mm ARGB Fan x 1 (White)	✓ Front: 120mm Black Fan x 3 ✓ Rear: 120mm Black Fan x 1 ✓ Front Cable Cover: 8025 Black Fan x 1 ✓ Vertical PCIe Bracket: 6015 Black Fan x 2 ✓ PCI-E 4.0 x16 RISER CABLE: 180mm x 1
Control Hub	1 to 6 ARGB LED 3-pin + Fan PWM 4-pin		N/A
GPU Holder	8mm thick Tempered Glass ARGB Lighting GPU Holder x 1		
Target	For End Users (MSI Fans / Gamers / PC DIY users)		
ID Design	Minimalist look with MPG texture pattern & more air intake		
Product	Mid-end SKU For mid-to-high end components system build & ARGB lighting		

Optimized Airflow

Perforated metal mesh front panel design


provides more air intake and aesthetic appearance



Ventilation at right side panel (Extra intake air)




Support to install 120mm fan x 2 on top of PSU Shroud (optional)



Cooling Support

- ✓ Support total up to 12 x fans
- ✓ Supports up to two 360mm radiators simultaneously on the top and front of the chassis
- ✓ Support AIO Radiator PUSH/PULL Setup at Front or Top






NOTE - 12 fans configuration is :

300P (Horizontal): Front 120mm x3 + Top 120mm x3 + Rear 120mm x1 + PSU Shroud 120mm x2 + Cable Cover 80mm x1 + PCI-E Bracket 60mm x2

Optimized Airflow

Front Panel Design - $\Phi 1.0\text{mm}$ perforated metal mesh

- ✓ Improved more air intake with enlarged mesh surface area
- ✓ One piece seamless front panel design with the fine perforations
- ✓ Maximum airflow performance while filtering dust (no need extra dust filter)




Optimized Airflow

Unique Fan Bracket


The long rail design of the front cable cover can be installed with a unique 80mm fan bracket.

When the graphics card is installed vertically, users can install one 8025 fan on the front cable cover and two 6015 fans on the rear vertical PCIE bracket. It will have more intake airflow through the space between the motherboard and the GPU, and take heat away from the rear side. It is ideal for cooling onboard components such as M.2 SSD.



Optimized Airflow

GUNGNIR 300P AIRFLOW: The airflow channel on the back of a vertically mounted graphics card



Optimized Airflow

3D Mark: 8025 & 6016 Fan: 60% & 100% speed, Gen 5 M.2 SSD: reduce 5~6°C

MB:MS-7D89 ver:1.2 / CPU: Intel i9-13900K 3.0GHz / RAM: DDR5 4800MHz 32GB*1																											
SSD: PHISON GEN5 / VGA: GeForce RTX 4090 GAMING X TRIO 24G / BIOS: E7D89IMS.150																											
Test Tool-->1.new 3Dmark v2.25.8043.64 (Fire Strike Ultra-Combined Test)																											
Windows 11 Pro 22H2 build 22621.382																											
CPU Setting-->1. PL1、PL2→4096W 2. AC&DC Loadline:50/80 3. TVB: Auto																											
CPU FAN & Front & Rear 12025 FAN :Duty 100%																											
6015 & 8025 FAN:Duty60 &100%																											
Case	M360 LC	Sysfan Configurations	Front: 12025 Sysfan Speed	Rear: 12025 Sysfan Speed	Inside: 8025 Sysfan Speed	Rear: 6015 Sysfan Speed	CPU	GPU	GEN5 SSD	Front Intake	Rear Exhaust	LC Intake	LC Exhaust	8025 Fan Intake	8025 Fan Exhaust	6015 Fan Intake	6015 Fan Exhaust	GPU Intake 1	GPU Intake 2	GPU Intake 3	GPU Exhaust 1	GPU Exhaust 2	GPU Exhaust 3	GPU Back Plate	SSD Contr.oller Surface	SSD Flash Sensor Surface	SSD Top environment
	Position	(PCS)	(Duty)	(Duty)	(Duty)	(Duty)	(°C)	(°C)	(°C)	(°C)	(°C)	(°C)	(°C)	(°C)	(°C)	(°C)	(°C)	(°C)	(°C)	(°C)	(°C)	(°C)	(°C)	(°C)	(°C)	(°C)	
MPG GUNGNIR 300P AIRFLOW	Case Top LC Fan: Exhaust	Front:12025*3 Inside:8025*1 Rear:6015*2 Rear:12025*1	1200 (100%)	1200 (100%)	0rpm	0rpm	79	74.6	57.0	25.1	33.1	29.8	34.1	N/A	N/A	N/A	N/A	35.9	30.2	27.5	43.9	41.1	51.8	56.9	61.5	56.6	48.4
		Front:12025*3 Inside:8025*1 Rear:6015*2 Rear:12025*1	1200 (100%)	1200 (100%)	1200 (60%)	1500 (60%)	77	73.5	55	24.5	29.9	28.8	33.1	24.9	26.7	40.1	42.2	33.1	27.8	25.8	41.7	42.1	51.1	55.5	58.9	54.7	44.0
	Pump: 3000RPM		1200 (100%)	1200 (100%)	2000 (100%)	2500 (100%)	77	73.2	51	24.8	33.8	30.1	34.7	25.6	26.7	37.1	37.0	32.1	27.1	27.5	39.1	37.5	47.4	56.3	54.0	51.0	41.4

Testing data: MSI Thermal Lab


Optimized Airflow

Burn-IN SSD 100%: 8025 & 6016 Fan: 60% & 100% speed, Gen 5 M.2 SSD: reduce 3~5°C

MB:MS-7D89 ver:1.2 / CPU: Intel i9-13900K 3.0GHz / RAM: DDR5 4800MHz 32GB*1																				
SSD: PHISON GEN5 / VGA: GeForce RTX 4090 GAMING X TRIO 24G / BIOS: E7D89IMS.150																				
Test Tool-->1.BurnIN v10.2 bulid1001 (BurnIn-HDD-100% Loading)																				
Windows 11 Pro 22H2 build 22621.382																				
CPU Setting-->1. PL1、PL2→4096W 2. AC&DC Loadline:50/80 3. TVB: Auto																				
CPU FAN & Front & Rear 12025 FAN :Duty 100%																				
6015 & 8025 FAN:Duty60 &100%																				
Case	M360 LC	Sysfan Configurations	Front: 12025 Sysfan Speed	Rear: 12025 Sysfan Speed	Inside: 8025 Sysfan Speed	Rear: 6015 Sysfan Speed	CPU	GPU	GEN5 SSD	Front Intake	Rear Exhaust	LC Intake	LC Exhaust	8025 Fan Intake	8025 Fan Exhaust	6015 Fan Intake	6015 Fan Exhaust	SSD Contr oller Surface	SSD Flash Sensor Surface	SSD Top environ ment
	Position	(PCS)	(Duty)	(Duty)	(Duty)	(Duty)	(°C)	(°C)	(°C)	(°C)	(°C)	(°C)	(°C)	(°C)	(°C)	(°C)	(°C)	(°C)	(°C)	(°C)
MPG GUNGNIR 300P AIRFLOW	Case Top LC Fan: Exhaust	Front:12025*3 Inside:8025*1 Rear:6015*2 Rear:12025*1	1200 (100%)	1200 (100%)	0rpm	0rpm	40	33.9	78	25.1	25.8	25.6	26.4	N/A	N/A	N/A	N/A	73.7	72.6	39.4
		Front:12025*3 Inside:8025*1 Rear:6015*2 Rear:12025*1	1200 (100%)	1200 (100%)	1200 (60%)	1500 (60%)	39	33.4	75	25.1	25.9	25.5	26.2	25.2	25.5	29.1	31.1	70.5	69.3	35.8
	Pump: 3000RPM	Front:12025*3 Inside:8025*1 Rear:6015*2 Rear:12025*1	1200 (100%)	1200 (100%)	2000 (100%)	2500 (100%)	38	32.8	73	24.7	25.6	25.3	25.1	25.1	25.5	28.3	26.7	67.9	66.7	32.1

Testing data: MSI Thermal Lab

Optimized Airflow (the placement of sensors)



Support Vertical & Horizontal GPU Installation

The propose to design vertical & horizontal GPU holder:

1. MB & GPU protection:

- ✓ Protect your graphics card from bending or sagging over time. Reduce stress or even damage on your motherboard from the weight of the graphics card. Able to support high-end GPU's length from 240mm to 360mm.

2. Support 4-slots thick GPU:

- ✓ 4XXX series GPUs are designed to be longer, thicker and heavier.

3. Functional consideration & showoff build:

- ✓ The best GPU support point is at the right front or right rear.
- ✓ When using the GPU ARGB power extension cable, it can adjust the position of the GPU support to the right front or right rear position for show off.

4. Moving location situation:

- ✓ The design idea is able to secure at top of the PSU shroud that is difference from the general GPU holder fixing with magnets or foam tape.
- ✓ Equipped two GPU supports can be placed on the top & bottom of the GPU, and reduce GPU vibration while moving PC to another location or place.

5. Consistent exterior look design:

- ✓ The appearance design of the GPU holder can be consistent with the chassis design.





Horizontal



Vertical



Support Vertical & Horizontal GPU Installation



No matter GPU in horizontal or vertical position, users can choose to place GPU holder in the right front or right rear position.



When the GPU support is unlocked, it can be adjusted by sliding up and down, and locked at 90 degrees




Unlock the quick release screw to adjust the left-to-right position of the GPU holder




After removing the whole GPU holder, change to fix at the different position according to the GPU length



Unlock the thumb screw and hold the GPU holder to adjust front-to-back direction by sliding



Hold the GPU holder then rotate 90 degree to change to the right rear position of the GPU



Support Vertical & Horizontal GPU Installation

MPG GUNGNIR 300R AIRFLOW

Horizontal



GPU Length:

Holder at **right front**: up to 360mm

Holder at **right rear**: up to 340mm

GPU Height:

Horizontal: Max. up to 142mm

GPU Thickness: Max. up to 80mm

Vertical



GPU Length:


Holder at **right front**: up to 360mm

Holder at **right rear**: 340mm


GPU Height:

Vertical: Max. up to 150mm

GPU Thickness: Max. up to 80mm




Horizontal



Equipped two GPU supports can be placed on the top & bottom of the GPU to reduce vibration during transport.

Vertical



Support Vertical & Horizontal GPU Installation

MPG GUNGNIR 300P AIRFLOW

Horizontal



6015 Fan x 2pcs
(Pre-installed)

GPU Length:

Holder at **right front**: up to **338mm**

Holder at **right rear**: up to **338mm**

GPU Height:

Horizontal: Max. up to **142mm**

GPU Thickness: Max. up to **80mm**



8025 Fan x 1pc
(Pre-installed)

Vertical



GPU Length:


Holder at **right front**: up to **338mm**

Holder at **right rear**: **338mm**


GPU Height:

Vertical: Max. up to **150mm**

GPU Thickness: Max. up to **80mm**




Horizontal






Equipped with two GPU supports, one can be removed to only support the GPU from the bottom to protect it from sagging.

Vertical




Easy to assemble

Adopt tool-free mechanism design, users can assemble system build easily, also come with thumb screw to secure during transport.




Easy to assemble


Position **A**



Position **B**



Position **C**




Sliding HDD Cage Mount

Tool-free design of position adjustment




Easy to assemble


Horizontal



Vertical




Horizontal Bracket



300R: Default: Pre-installed

Vertical Bracket



Also support 6015 fan x 2* for taking out heat dissipation from the space between MB and GPU

*Note:

300R: 6015 fan is optional item

300P: 6015 fan is pre-installed item



PCIe Bracket


- ✓ Push Latches mounting design
- ✓ Come with two thumb screws to secure during transport

Easy to assemble

Fan/Radiator Front Bracket


Tool-free design for easy to assemble system

Slide in 6 bolts at both sides from top to bottom to lock in place and tighten the thumb screw to secure during transport.




Support Push-Pull Setup

120mm/140mm Fan




Note: 140mm fan is only able to install in the inner side of the bracket. (Default: inner side)

120mm Fan




120mm fan is able to install in the inner side or outer side of the bracket

360mm Radiator



Note: The radiator is only able to install in the inner side of the bracket.


PUSH-PULL Setup



Easy to assemble

msi

Cable routing channel




- ✓ Cable routing channel & Cable Velcro straps (Pre-installed)
- ✓ Cable routing space : up to 28mm



Cable Velcro straps

1 Top: magnet




2 Bottom: removable



Fully duct filter design



3 Front: Mesh



Φ1.0mm perforated mesh front panel is designed for providing unobstructed airflow and dust filtration.

4 Right panel: magnet




Front I/O & Drive Bays

ARGB Lighting Control




LED Button:

1. Short press the LED button once to switch the LED effect.
2. There are total 21 color modes.
3. Press and hold the LED button for 2~4 seconds, when LED flashes white once, you can switch between MSI motherboard Mystic Light synchronization mode and Hub control mode.
4. Press and hold the LED button for more than 4 seconds to turn off, then short press to turn on.



*Note: Control Hub is for 300R AIRFLOW/300R AIRFLOW WHITE Only

2.5"SSD: up to 8pcs



3.5"HDD: up to 2pcs



*Note: Pre-install SSD bracket: No.1~No.4

Comparison & Specifications

MPG GUNGNIR 300R Airflow



CorXXXX 5000D Airflow ARGB



NXXX H7 Elite



Brand		MSI	CorXXXX	NXXX
Product Name		MPG GUNGNIR 300R Airflow	5000D Airflow ARGB	H7 Elite
MSRP (USD)		\$169.99	\$173.71	\$199.99
Materials	Outlook	Steel, Mesh, Plastic	Steel, TG, Plastic	Steel, TG
	Side panel	Left: TG/Right: Steel	Left: TG/Right: Steel	Left: TG/Right: Steel
Dimensions (WxLxH)		235 x 505 x 510 mm (60L)	245 x 520 x 520 mm (64.8L)	230 x 480 x 505mm (56L)
Motherboard Support		EATX(Up to 305 x 280mm)	E-ATX(Up to 305mm x 277mm)	E-ATX(Up to 305 x 272mm)
Expansion Slots		7	7 + 2 Vertical	7
Drive Bays	2.5"/3.5"	2	2	2
	2.5" SSD	4(up to 8)	4(up to 6)	4(up to 6)
I/O Port	USB 3.0 Type-A	2	2	2
	USB 3.1 Type-C	1	1	1
	LED Control	Yes	N/A	N/A
	Fan Hub	N/A	N/A	N/A
Extra Board	LED Control	N/A	N/A	N/A
	Fan&LED Control	6 PWM fan + 6 ARGB	1-6 PWM fan + iCUE Lighting Node PRO RGB	3 PWM fan + 6 ARGB
Pre-installed Fans	Front	120mm x 3 ARGB (PWM)	120mm x 3 ARGB AF120 Elite (PWM)	F Series RGB 140mm x 3 (PWM)
	Rear	120mm x 1 Black (PWM)	N/A	F Series Quiet 140mm x 1 (3-pin) (Case Version)
Cooling Support	Front	120mm x 3/140mm x 3	120mm x 3/140mm x 2	120mm x 3/140mm x 3
	Rear	120/140mm x 1	120mm x 1	120mm x 1/140mm x 1
	Top	120mm x 3/140mm x 2	120mm x 2/140mm x 2	120mm x 3/140mm x 2
	Side	N/A	120mm x 3	N/A
	Bottom	120mm x 2 (PSU Shroud)	N/A	N/A
Radiator Compatibility	Front	120/140/240/280/360mm	120/140/240/280/360mm	120/140/240/280/360mm
	Rear	Push/Pull: Fan + Radiator Clearance:80mm	120mm	Push/Pull: Radiator Clearance:60mm
	Top	120/140/240/280/360mm	120/140/240/280/360mm	120/140/240/280/360mm
	Side	N/A	120/140/240/280/360mm	N/A
Clearances	CPU Cooler	175mm	170mm	185mm
	Graphics Card	360mm	400mm	400mm
	PSU	200mm~	250mm	up to 200mm
Power Supply Support		ATX	ATX	ATX
Cable Routing		Cable routing channel/ Space: 28mm	Cable routing grommets & channel 25mm	18-22mm
Dust Filter	Top	Magnetic	Magnetic	Removable
	Front	Mesh (hole: Ø1mm)	Removable	Removable
	Bottom	Removable	Removable	Removable
	Side	Magnetic	Magnetic	N/A
GPU Holder		Horizontal & Vertical Support	N/A	N/A
GPU Vertical Bracket		PCIe Vertical 3-slots (thickness: 4 slots)	PCIe Vertical 2-slots (close to TG side panel)	N/A
Cable Management Cover		Front (Multi-functions)	Front & Back	Front




msi

FAQs



THE LEAP TO SINGULARITY

Q: Is there enough spaces for GPU airflow & cable routing?




GPU Vertical Mounting

50-52mm space is fine to have intake air from side for GPU




GPU Horizontal Mounting

35-40mm space is fine for GPU 12VHPWR cable routing




Q: How length is the limitation of GPU installation?



Five adjustable positions: (adjust the left & right positions)


- 1 Position: support GPU length <340mm
- 2 Position: support GPU length <330mm (Mainstream)
- 3 Position: support GPU length <310mm (Mainstream) → Pre-installed
- 4 Position: support GPU length <290mm
- 5 Position: support GPU length <265mm

Support the length of GPU installation: from 240mm to 360mm




Q: Is it support EATX motherboard installation?


- ✓ Support up to Gaming EATX MB size (up to 305 x 280mm)
- ✓ Able to adjust front cable cover to fit different MB size to have better cable routing



ATX



EATX




Note:


When moved front cable cover to EATX position, will not support No. 4 SSD drive bay installation.

Q: Does front cable cover fan bracket support different size fan?

Support to install a 80mm or a 120mm fan



80mm Fan




120mm Fan



Unique fan bracket



Q: Is it user friendly to install front I/O connectors?

For easy to do assembly, offer a single “F_PANEL” connector to unify motherboard connector for the power/LED portion.



Q: Is it easy to do GPU holder repair?

Press **A** button then can slide out the GPU support bracket from the back side of the base plate for repair request.





THE LEAP TO SINGULARITY

Official Partner

msi



AMG
MOTORSPORT



PGR
POST-CONSUMER RECYCLED

META
READY

